

Appl. No. 09/706,926
Amdt. dated May 14, 2004
Reply to final Office action of March 5, 2004

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (original): A method for representing cartographic data in a computer-based system, comprising:

 computing a plurality of wavelet and scaling coefficients corresponding to at least one function representing a geographic feature in a cartographic database; and
 storing the wavelet and scaling coefficients in a computer-usable database, the coefficients being usable for representing the cartographic data in the computer-based system.

Claim 2 (original): The method of claim 1, wherein the geographic feature is originally represented by a plurality of data points.

Claim 3 (original): The method of claim 2, wherein the data points are selected from the group consisting of coordinate pairs and a coordinate triples.

Claim 4 (original): The method of claim 1, wherein the geographic feature is the boundary of a feature selected from the group consisting of a road, waterway, building, park, lake, railroad track, and airport.

Claim 5 (original): The method of claim 2, wherein the step of computing the wavelet coefficients and scaling coefficients includes applying a wavelet transform to a function defined by the data points representing the geographic feature.

Claim 6 (original): The method of claim 1, wherein the step of computing the wavelet coefficients and scaling coefficients includes:
 computing the wavelet coefficients by performing a least-squares fit.

Claim 7 (original): The method of claim 1, wherein the wavelet and scaling coefficients are computed using a semi-discrete orthonormal wavelet transform.

Claim 8 (previously presented): A method of displaying on a computer output device a function representing a geographic feature, comprising:

 retrieving from a computer-usable database a plurality of wavelet and scaling coefficients associated with the geographic feature, the coefficients being derived from a plurality of data points specifying geographic locations according to a predetermined reference system;
 computing the function representing the geographic feature using the retrieved wavelet and scaling coefficients; and
 displaying the function on the computer output device.

Appl. No. 09/706,926
Amdt. dated May 14, 2004
Reply to final Office action of March 5, 2004

Claim 9 (original): The method of claim 8, wherein the data points are selected from the group consisting of coordinate pairs and a coordinate triples.

Claim 10 (original): The method of claim 8, wherein the geographic feature is selected from the group consisting of a road, waterway, building, park, lake, railroad track, and airport.

Claim 11 (original): A system for displaying on a computer output device a representation of a geographic feature, comprising:

- a database storing a plurality of wavelet and scaling coefficients associated with the geographic feature, the wavelet and scaling coefficients being derived from a plurality of data points specifying geographic locations according to a predetermined reference system;
- a processor configured to calculate a function using the wavelet and scaling coefficients, the function representing the geographic feature; and
- a display device for displaying the function.

Claim 12 (original): The system of claim 11, wherein the data points are selected from a group consisting of coordinate pairs and coordinate triples.

Claim 13 (previously presented): A method of generating a computer-usable database that represents cartographic data using a plurality of wavelet and scaling coefficients, comprising:

- providing a predetermined database that represents the cartographic data using a plurality of data points specifying geographic locations;
- computing a plurality of wavelet and scaling coefficients from the data points, wherein said wavelet and scaling coefficients are used to represent the cartographic data; and
- storing the wavelet and scaling coefficients in the computer-usable database.

Claim 14 (original): The method of claim 13, wherein the data points are selected from the group consisting of coordinate pairs and coordinate triples.

Claim 15 (original): The method of claim 13, wherein the geographic feature is the boundary of a feature selected from the group consisting of a road, waterway, building, park, lake, railroad track and airport.

Claim 16 (previously presented): A system of generating a computer-usable database that represents cartographic data using a plurality of wavelet and scaling coefficients, comprising:

- a first computer-usable database storing the cartographic data representing using a plurality of data points specifying geographic locations;
- a processor configured to compute a plurality of wavelet and scaling coefficients from the data points, wherein said wavelet and scaling coefficients are used to represent the cartographic data; and
- a second computer-usable database, operatively coupled to the processor, for storing the wavelet and scaling coefficients.

Claim 17 (original): The system of claim 16, wherein the data points are selected from the group consisting of coordinate triples and coordinate pairs.

Appl. No. 09/706,926
Amdt. dated May 14, 2004
Reply to final Office action of March 5, 2004

Claim 18 (original): The system of claim 16, wherein the wavelet coefficients and scaling coefficients are computed by applying a wavelet transform to a function defined by the data points representing a geographic feature.

Claim 19 (original): The system of claim 16, wherein the wavelet coefficients are computed by performing a least-squares fit.

Claim 20 (previously presented): A method for generating a database error metric in a computer-based system, comprising:

- computing a first plurality of wavelet and scaling coefficients from a plurality of first data points included in a first cartographic database, wherein said wavelet and scaling coefficients represent geographic features;

- computing a second plurality of wavelet and scaling coefficients from a plurality of data points included in a second cartographic database, wherein said wavelet and scaling coefficients represent geographic features; and

- generating the database error metric based on a wavelet transform involving the first and second pluralities of wavelet coefficients.

Claim 21 (original): The method of claim 20, wherein the error metric is a total error metric based on a plurality of wavelet scales.

Claim 22 (original): The method of claim 20, further comprising:

- selecting a wavelet scale; and

- restricting the error computation to the selected wavelet scale to generate a layer error metric.

Claim 23 (previously presented): The method of claim 20, wherein the data points are selected from the group consisting of coordinate pairs and coordinate triples.

Claim 24 (previously presented): A system for generating a database error metric, comprising:

- a first cartographic database for storing a first plurality of data points;

- a second cartographic database for storing a second plurality of data points; and

- a processor, operatively coupled to the first and second cartographic databases, configured to compute a first plurality of wavelet and scaling coefficients and a second plurality of wavelet and scaling coefficients, respectively, from the first and second pluralities of data points, wherein said wavelet and scaling coefficients represent geographic features, the processor generating a database error metric based on the first and second pluralities of wavelet and scaling coefficients.

Claim 25 (previously presented): The system of claim 24, wherein the error metric is a total error metric based on a plurality of wavelet scales.

Appl. No. 09/706,926
Amdt. dated May 14, 2004
Reply to final Office action of March 5, 2004

Claim 26 (original): The system of claim 24, wherein the processor is configured to restrict the error computation to a selected wavelet scale to generate a layer error metric.

Claim 27 (original): The system of claim 24, wherein the data points are selected from the group consisting of coordinate triples and coordinate pairs.